

PRODUCT SAFETY DATA SHEET

1. Name of Product and Manufacturer

Name of Product: XPR-5554G

Product Description: Rechargeable Head Lamp Light with 5554-BATT battery

Name of Company: Bayco Products Inc.

Address: 640 S. Sanden Blvd. Wylie, TX. 75098 USA

Telephone number: 001-469-326-9400 For emergency: 001-469-326-9400

2. Hazards identification

GHS Classification: Not applicable

Hazard: The hazard is associated with the contents of the cell or battery. Under recommended use conditions, the electrode materials and liquid electrolyte are non-reactive provided that the cell or battery integrity remains, and the seals remain intact. The potential for exposure should not exist unless the cell or battery leaks, is exposed to high temperatures or is mechanically, electrically or physically abused/damaged. If the cell or battery is compromised and starts to leak, based upon the battery ingredients, the contents are classified as Hazardous.

Hazard Pictogram(s): Not applicable

Signal Word: Not applicable

3. Compositions

IMPORTANT NOTE: The battery cell should not be opened or exposed to heat because exposure to the ingredients contained within could be harmful under some circumstances.

No other hazardous items exist

4. First Aid Measures

Date Print: 12-Dec-22

The product contains inorganic electrolyte. In case electrolyte leakage from the battery, action described below are required.

Eye contact: Exposure of eye to contents of an open cell will cause chemical burns and severe irritation. Rinse thoroughly with large quantity of distillated water at once and seek medical attention immediately.

Skin contact: Electrolyte will cause chemical burns, and others chemical compound may cause allergic dermatitis. Remove contaminated clothing at once, and rinse with large quantity of water. If the symptoms persist, seek medical attention.

Inhalation: Do not dispose of cells or battery packs in fire or mutilate, they may burst explosively or release toxic fumes. Inhalation of those may cause significant harm to human body. Provide fresh air at once and seek medical attention.



5. First Fighting Measures

Extinguishing method: If fire or explosion occurs when the cells or battery packs are being charged, stop charging immediately. Fire fighters should ware self-contained breathing apparatus. Nickel metal hydride batteries involved in a fire can produce toxic fumes including oxides of nickel, cobalt, manganese, lanthanum, cerium, neodymium and praseodymium.

Fire extinguishing agent: Dry sand is effective and any class of extinguish medium should be considered on the cell/battery packs or packing material.

6. Accident Release Measures

For non-emergency personnel: Use personal protective equipment

Emergency procedures:

- In case of cell damage, possible release of dangerous substances and a flammable gas mixture.
- Eliminate all ignition sources.
- Please note that materials and conditions to avoid.
- Battery may emit electrolyte if charging or discharging rates exceed manufacturer's recommendations or if pack has been breached.
- Move battery to well ventilated area to prevent gas accumulation.

For emergency responders

- Eliminate all ignition sources.
- Please note that materials and conditions to avoid.
- Move battery to well ventilated area to prevent gas accumulation.

Environmental precautions:

- Avoid release to the environment.
- Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

- For containment: Not available
- For cleaning up:
 - Cover with Dry earth, DRY sand or other non-combustible material and put on the plastic sheet to minimize spreading or contact with rain.
 - Move battery to well ventilated area to prevent gas accumulation.
 - Dispose in accordance with applicable local, state and federal regulations.

7. Handling and Storage

- Technical measures and storage conditions: Not available
- Packaging materials: Not available
- Requirements for storage rooms and vessels:
- Storage at room temperature (approx. 20°C) at approx. 40% of the nominal capacity
- Keep in closed original container.

8. Exposure Control

- Acceptable condition: Not specified in ACGIH.
- Facilities: Provide appropriate ventilation system such as local ventilator in the storage place.



Protective clothing: Gas mask for toxic gases, safety goggle, and safety glove.

9. Physical and Chemical Properties

Appearance: Solid

Odor: No information available

pH: Not information available

Evaporation Rate: Not applicable

Vapor Density: Not applicable

10. Stability and Reactivity

Reactivity: Stable at ambient temperature.

Chemical stability

- There is no hazard when the measures for handling and storage are followed.
- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Will not occur under normal conditions.
- In case of cell damage, possible release of dangerous substances and a flammable gas mixture.
- Containers may explode when heated.
- Fire may produce irritating and/or toxic gases.
- Some liquids produce vapors that may cause dizziness or suffocation.
- Inhalation of material may be harmful.

Conditions to avoid

- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Friction, heat, sparks or flames
- Dusts or shavings from borings, turnings, cuttings, etc.
- Do not exceed manufacturer's recommendation for charging or use battery for an application for which it was not specifically designed.
- Do not electrically short.

Incompatible materials

- Avoid contact with acids and oxidizers.
- Keep away from any possible contact with water, because of violent reaction and possible flash fire
- Handle under inert gas. Protect from moisture.
- Combustibles, reducing agents

Hazardous decomposition products

- None under normal conditions.
- Corrosive and/or toxic fume
- Material may produce irritating and highly toxic gases from decomposition by heat and combustion during burning.
- Irritating and/or toxic gases

11. Toxicological Information

- Acute toxicity: Not specified.
- Irritation: Irritating to eye and skin.
- Mutagenicity: Not specified.



Date Print: 12-Dec-22 Page 3 of 4

Chronic toxicity: Not specified.

12. Ecological Information

 In case of the worn-out battery was disposed in land, the battery case maybe corroded, and leak electrolyte. But, we have no ecological information.

13. Disposal Considerations

 When the battery is worn-out, dispose of it under the ordinance of each local government or the law issued by relating government.

14. <u>Transportation Information</u>

- For Air shipment: Products are packed in compliance to the latest edition of the IATA Dangerous Goods Regulations section II of Packing Instruction 967 in order for that consignment to be declared as NOT RESTRICTED (non-hazardous/non-Dangerous). The lithium-ion battery is packed with or contained in the equipment, UN No. is UN3481.
- For Road and/or Sea: Lithium Ion Batteries "not restricted as per ADR/IMDG SP 188"

15. Regulatory Information



16. Other Information

Date Print: 12-Dec-22

This PSDS is provided in good faith and generally descriptive only and is not intended to make or imply any representation of warranty with respect to any product. Bayco Products Inc. reserves the rights on modification of this document without prior notice. The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.

It is believed that the information contained herein is accurate as of the date hereof. HOWEVER, NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREIN AS TO THE INFORMATION PROVIDED OR THE PRODUCT TO WHICH THEINFORMATION REFERS. The health and safety precautions contained herein may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Nothing contained herein shall be construed as a license for the use of any product in a manner that would infringe existing patents.

